



SYLVAN
FISHING BOATS



Inspired
INNOVATION

2009





PROSPORT



Rear Convert-A-Seat

Driver's Console

PROSPORT
SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT
1900 DC	18'10"	96"	38"	27"	96"	XLS
1700 DC	17'1"	91"	35"	25"	90"	LS
1600 DC	16'6"	88"	35"	25"	85"	LS

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



PROSPORT 1900 DC



1900 DC

1700 DC

1600 DC



Bow Rod Storage

Livewells

DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1,450	8	1,750	175	40	.125	.080	.125
1,220	5	1,350	140	31	.100	.080	.100
1,080	5	1,300	90	24	.080	.076	.080

ADVENTURER



1900 DC




1700 DC




ADVENTURER 1700-DC



Driver's Console



In-Floor Rod Storage



1 of 2 Livewells



Snap-In Carpet

ADVENTURER SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1900 DC	18'10"	96"	38"	27"	96"	XLS	1,460	8	1,750	175	31	.125	.080	.125
1700 DC	17'1"	91"	35"	25"	90"	LS	1,220	5	1,350	140	24	.100	.080	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

EXPEDITION


1800 DC



1700 DC



EXPEDITION 1800 DC



Convert-a-Bow

Driver's Console

In-Floor Rod Storage

Stern Convert-a-Bench

EXPEDITION SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1800 DC	18'1"	91"	35"	25"	90"	XLS	1,250	7	1,625	150	31	.100	.080	.100
1700 DC	17'1"	91"	35"	25"	90"	LS	1,220	5	1,350	140	24	.100	.080	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



EXPLORER



Driver's Console



Bow Rod Storage

EXPLORER SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT
1700 DC	17'1"	91"	33"	23"	90"	LS
1700 SC	17'1"	91"	33"	23"	90"	LS
1600 DC	16'2"	82"	33"	21"	77"	LS
1600 SC	16'2"	82"	33"	21"	77"	LS


All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



EXPLORER 1600 DC



1700 DC



1700 SC



1600 DC



1600 SC



Bow Livewell

Bow Storage

DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1,130	5	1,350	140	31	.100	.080	.080
1,100	5	1,350	140	31	.100	.080	.080
880	5	1,275	75	24	.080	.070	.080
850	5	1,275	75	24	.080	.070	.080

VIPER

206

185

180



VIPER 185

Convert-a-Bow

Driver's Console

Livewell

Stern Convert Seating

VIPER SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.
206	20'6"	96"	39"	29"	92"	XLS	1,960	6	2,050	175	50
185	18'0"	96"	39"	29"	92"	XLS	1,900	6	1,950	175	43
180	18'0"	96"	39"	29"	92"	XLS	1,763	6	1,950	135	37

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



1600 SELECT SC




1600 SELECT

SPORT TROLLER



1600 SPORT TROLLER



1400 SPORT TROLLER


SUPER SNAPPER



1600 SUPER SNAPPER



1400 SUPER SNAPPER



Rod Storage

Livewell

SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1600 SELECT SC	16'0"	81"	33"	25"	74"	LS	725	5	1,250	60	N/A	.080	.064	.080
1600 SELECT	16'0"	81"	33"	25"	74"	LS	700	5	1,250	60	N/A	.080	.064	.080
1600 SPRT	16'0"	81"	33"	25"	74"	LS	700	5	1,250	60	N/A	.080	.064	.080
1400 SPRT	14'5"	67"	30"	19"	59"	LS/SS	475	4	975	35	N/A	.064	.060	.064
1600 SUPSNP	16'5"	70"	31"	22"	63"	LS	460	5	1,100	40	N/A	.064	.060	.064
1400 SUPSNP	14'2"	68"	30"	22"	60"	LS/SS	395	4	1,000	35	N/A	.064	.060	.064

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



1400
SEA SNAPPER



1400
SEA BREEZE




1200
SEA BREEZE



1500
STRIKER



1500
ALASKAN DELUXE



1500
ALASKAN



1300
ALASKAN DELUXE



1200
ALASKAN DELUXE



1200
ALASKAN

UTILITIES

SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1400 SEA SNAPPER	14'2"	68"	30"	30"	60"	LS/SS	230	5	1,000	35	.064	.060	.064
1400 SEA BREEZE	13'10"	56"	20"	20"	50"	SS	130	4	700	15	.050	.050	.050
1200 SEA BREEZE	11'9"	56"	20"	20"	50"	SS	112	3	600	10	.050	.050	.050
1500 STRIKER	15'5"	72"	32"	32"	61"	LS	290	4	1,100	25	.070	.060	.064
1500 ALASKAN DLX	14'11"	68"	27"	21"	59"	LS/SS	270	4	850	35	.064	.060	.064
1300 ALASKAN DLX	12'11"	66"	26"	20"	56"	LS/SS	225	4	700	25	.064	.060	.064
1200 ALASKAN DLX	11'11"	63"	24"	19"	56"	LS/SS	185	3	700	15	.064	.060	.064
1500 ALASKAN	14'11"	68"	27"	21"	59"	LS/SS	270	4	850	35	.064	.060	.064
1200 ALASKAN	11'11"	63"	24"	19"	56"	LS/SS	185	3	700	15	.064	.060	.064



1660
SPORTSMAN




1648



1644 MV



1432



1436



1232

1860 Sportsman, 1448 and 1032 Jons Not Shown

SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	BOTTOM GAUGE	SIDE GAUGE
SPORTSMAN												
1860	18'0"	86"	23"	21"	88"	LS	700	6	1,400	80	.100	.100
1660	16'0"	86"	23"	21"	88"	LS	640	6	1,375	65	.100	.100
JON BOAT												
1648	16'0"	72"	22"	22"	71"	LS/SS	295	4	900	35	.072	.072
1644 MV	16'0"	63"	22"	22"	68"	LS	300	4	900	35	.072	.072
1448	14'0"	72"	22"	22"	71"	LS/SS	260	3	900	25	.072	.072
1436	14'0"	57"	18"	18"	56"	SS	185	3	650	20	.064	.064
1432	14'0"	51"	16"	16"	50"	SS	140	2	390	7	.050	.050
1232	12'0"	51"	16"	16"	50"	SS	120	2	390	6	.050	.050
1032	10'0"	51"	16"	16"	50"	SS	100	2	290	3	.050	.050

	PRO SPORT 1900 DC	PRO SPORT 1700 DC	PRO SPORT 1600 DC	ADVENTURER 1900 DC	ADVENTURER 1700 DC	EXPEDITION SPORT 1800 DC	EXPEDITION SPORT 1700 DC	EXPLORER 1700 DC	EXPLORER 1700 SC	EXPLORER 1600 DC	EXPLORER 1600 SC	VIPER 206	VIPER 185	VIPER 180
Movable Helm Pedestal	—	—	—	—	—	—	—	—	—	—	—	—	—	S
Movable Hydraulic Pedestals	(2)	—	—	—	—	—	—	—	—	—	—	(1)	(1)	(1)
Rear Convert-a-Bench	—	—	—	—	—	S	S	—	—	—	—	—	—	—
Rear Removable Bench	—	—	—	S	S	—	—	—	—	—	—	S	—	S
Rear Flip-Up Seats	S	S	S	—	—	—	—	—	—	—	—	—	S	—
Rear Removable Jump Seats	—	—	—	—	—	—	—	—	—	—	—	S	—	S
Bow Backrest w/ Cushions	—	—	—	—	—	S	—	—	—	—	—	—	S	—
Seat Bases (qty)	(6)	(6)	(5)	(6)	(6)	(6)	(6)	(6)	(6)	(5)	(5)	(5)	(6)	(5)
Bass Seats	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Additional Bass Seat	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Stem (hydraulic)	O	—	—	—	—	—	—	—	—	—	—	O	O	O
3-Aluminum Bench Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-Aluminum Bench Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aluminum Split Bench Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—
STORAGE														
Center Rod Storage	S	S	S	—	—	—	—	S	S	S	S	S	—	S
In-Floor Rod Storage	—	—	—	S	S	S	S	—	—	—	—	—	S	—
Port Rod Storage	S	S	S	S	S	S	—	S	S	S	S	—	—	—
Starboard Rod Storage	S	S	S	—	—	—	—	—	—	—	—	—	—	—
Starboard Side Storage	—	—	—	S	S	S	S	S	S	S	S	—	S	—
Console Storage	S	S	S	S	S	—	—	—	—	—	—	S	—	S
Rod Holders	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bow Storage	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stern Storage	S	S	S	S	S	S	S	—	—	—	—	S	S	S
In-Floor Storage	S	S	—	—	—	—	—	—	—	—	—	S	—	—
MISCELLANEOUS														
Bow & Stern Castings w/ Handles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oar Locks	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nonskid Interior	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Lockable Glove Box	S	S	S	S	S	S	S	S	—	—	—	S	S	S
Toe Kicks	S	S	S	S	—	S	—	—	—	—	—	—	—	—
Reinforced for Downriggers	S	S	S	S	S	S	S	—	—	—	—	S	—	S
Bilge Pump	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Hydraulic Steering	S	—	—	S	—	S	—	—	—	—	—	S	S	S
Tilt Steering	S	S	S	S	S	S	S	—	—	—	—	S	S	S
Stainless Steel Bow Rail	—	—	—	—	—	S	S	—	—	—	—	—	—	—
Twice Baked Urethane Paint	S	S	S	S	S	S	S	S	S	S	S	—	—	—
CUP HOLDER														
Cup Holders	S	S	S	—	S	S	S	S	S	S	S	S	S	S
BATTERY ACCESS														
8" Access Plate	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Battery Compartments (qty)	(3)	(2)	(2)	(3)	(3)	(3)	(3)	—	—	—	—	(3)	(3)	(2)
CANVAS														
Fisherman's Top	S	O	O	O	O	O	O	O	—	O	—	O	O	O
Side Curtains	O	O	O	O	O	O	O	O	—	O	—	O	O	O
Aft Curtains	O	O	O	O	O	O	O	O	—	O	—	O	O	O
Walk-Thru Curtains	O	O	O	O	O	O	O	O	—	O	—	O	O	O
Bow Cover	O	O	O	O	O	O	O	O	—	O	—	O	O	O
Mooring Cover	O	O	O	O	O	O	O	O	O	O	O	O	O	O

S | standard O | optional — | not available on this model

* Only Available with Deluxe.

	SELECT 1600 SC	SELECT 1600 TL	SPORT TROLLER 1600 TL	SPORT TROLLER 1400 TL	SUPER SNAPPER 1600	SUPER SNAPPER 1400	STRIKER 1500	ALASKAN DELUXE 1500 TL/TS SS	ALASKAN 1500 TL/TS	ALASKAN DELUXE 1300 TL/TS SS	ALASKAN DELUXE 1200 TL/TS SS	ALASKAN 1200 TL/TS	SEA SNAPPER 1400	SEA BREEZE 1400	SEA BREEZE 1200
Movable Helm Pedestal	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Movable Hydraulic Pedestals	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rear Convert-a-Bench	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rear Removable Bench	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rear Flip-Up Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rear Removable Jump Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bow Backrest w/ Cushions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Seat Bases (qty)	(4)	(4)	(3)	(3)	(2)	—	—	—	—	—	—	—	—	—	—
Bass Seats	(2)	(2)	(2)	(2)	—	—	—	—	—	—	—	—	—	—	—
Additional Bass Seat	O	O	O	O	O	—	—	—	—	—	—	—	—	—	—
Stem (hydraulic)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-Aluminum Bench Seats	—	—	—	—	—	—	—	—	—	—	—	—	S	S	S
4-Aluminum Bench Seats	—	—	—	—	—	—	S	—	—	—	—	—	—	—	—
Aluminum Split Bench Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
STORAGE															
Center Rod Storage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
In-Floor Rod Storage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Port Rod Storage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Starboard Rod Storage	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—
Starboard Side Storage	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—
Console Storage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rod Holders	—	—	—	—	S	S	—	S	S	S	S	S	—	—	—
Bow Storage	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—
Stern Storage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
In-Floor Storage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
MISCELLANEOUS															
Bow & Stern Castings w/ Handles	—	—	—	—	—	—	S	S	S	S	S	S	—	S	S
Oar Locks	—	—	—	—	—	—	S	—	—	—	—	—	—	S	S
Nonskid Interior	—	—	—	—	—	—	S	S	S	S	S	S	—	S	S
Lockable Glove Box	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—
Toe Kicks	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Reinforced for Downriggers	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bilge Pump	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—
Hydraulic Steering	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tilt Steering	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stainless Steel Bow Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Twice Baked Urethane Paint	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—
CUP HOLDER															
Cup Holders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
BATTERY ACCESS															
8" Access Plate	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Battery Compartments (qty)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
CANVAS															
Fisherman's Top	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Side Curtains	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aft Curtains	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Walk-Thru Curtains	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bow Cover	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mooring Cover	O	O	O	O	O	O	O	O	O	O	O	O	O	—	—



SYLVAN
FISHING BOATS

TO TALK TO THE DEALER NEAREST YOU, DIAL 866-766-9698.

Connects directly to dealer. Please call during business hours.

SMOKERCRAFT
FAMILY OF PRODUCTS



www.sylvanmarine.com

The specifications of any Sylvan boat are subject to change without notice.

Printed 09/08 323-B-09

SYLVAN

P.O. Box 65
New Paris, IN 46553

SYLVAN WEST

P.O. Box 219
Stayton, OR 97383

SYLVAN SOUTH

P.O. Box 1267
LaGrange, GA 30241

SYLVAN NORTH

P.O. Box 129
Minong, WI 54859

Inspired
INNOVATION